UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/788,530	02/27/2004	Scott Musson	BEAS-01374US1	6918
23910 FLIESLER ME	7590 05/01/200 YER LLP	EXAMINER		
650 CALIFORNIA STREET			ULRICH, NICHOLAS S	
14TH FLOOR SAN FRANCISCO, CA 94108			ART UNIT	PAPER NUMBER
			2173	
			MAIL DATE	DELIVERY MODE
			05/01/2008	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

	Application No.	Applicant(s)			
	10/788,530	MUSSON ET AL.			
Office Action Summary	Examiner	Art Unit			
	NICHOLAS S. ULRICH	2173			
The MAILING DATE of this communication app Period for Reply	ears on the cover sheet with the c	orrespondence address			
A SHORTENED STATUTORY PERIOD FOR REPLY WHICHEVER IS LONGER, FROM THE MAILING DA  - Extensions of time may be available under the provisions of 37 CFR 1.13 after SIX (6) MONTHS from the mailing date of this communication.  - If NO period for reply is specified above, the maximum statutory period w  - Failure to reply within the set or extended period for reply will, by statute, Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	ATE OF THIS COMMUNICATION 36(a). In no event, however, may a reply be tim vill apply and will expire SIX (6) MONTHS from cause the application to become ABANDONE	N. nely filed the mailing date of this communication. D (35 U.S.C. § 133).			
Status					
Responsive to communication(s) filed on <u>03 Ar</u> This action is <b>FINAL</b> . 2b)☑ This     Since this application is in condition for allowar closed in accordance with the practice under E	action is non-final. nce except for formal matters, pro				
Disposition of Claims					
4) ☐ Claim(s) 1-67 is/are pending in the application. 4a) Of the above claim(s) is/are withdray 5) ☐ Claim(s) is/are allowed. 6) ☐ Claim(s) 1-67 is/are rejected. 7) ☐ Claim(s) is/are objected to. 8) ☐ Claim(s) are subject to restriction and/or Application Papers 9) ☐ The specification is objected to by the Examine 10) ☐ The drawing(s) filed on is/are: a) ☐ access	relection requirement. r. epted or b)□ objected to by the B				
Applicant may not request that any objection to the o	on is required if the drawing(s) is obj	ected to. See 37 CFR 1.121(d).			
11) The oath or declaration is objected to by the Ex	ammer, Note the attached Office	Action of form PTO-152.			
Priority under 35 U.S.C. § 119  12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).  a) All b) Some * c) None of:  1. Certified copies of the priority documents have been received.  2. Certified copies of the priority documents have been received in Application No  3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).  * See the attached detailed Office action for a list of the certified copies not received.					
Attachment(s)  1) Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO/SB/08) Paper No(s)/Mail Date 4/03/2008.	4)  Interview Summary Paper No(s)/Mail Da 5)  Notice of Informal P 6)  Other:	nte			

Application/Control Number: 10/788,530 Page 2

Art Unit: 2173

## **DETAILED ACTION**

1. Claims 1-67 are pending

- 2. Claims 1, 18, 34, 50, and 67 are amended.
- 3. The IDS filed 4/03/2008 has been considered.

## Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

- (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 4. Claims 1-67 are rejected under 35 U.S.C. 103(a) as being unpatentable over Shiigi et al. (US 2003/0014442 A1) and Knudsen et al. (Learning Java, O'Reilly 5/2000).

In regard to claims 1, 50, and 67, Shiigi discloses a method and machine readable medium for rendering a graphical user interface (GUI), comprising:

providing for the representation of the GUI as a set of controls wherein the controls are organized in a logical hierarchy (*Paragraph 0014 lines 12-14, Paragraph 0016 and Paragraph 0056: Controls are organized in a template hierarchy which provides entitlement for each of the controls based on the tags specified within the template);* 

traversing the representation, wherein the traversing comprises:

associating a theme with a first control in the set of controls (*Paragraph 0082 lines 4-6: The Object model is invoked*);

rendering the first control according to the theme (Paragraph 0050: step 1);
rendering any descendents of the first control according to the theme (Paragraph 0051: Step 2);

wherein any descendents of the first control can override the theme (*Paragraph* 0051 lines 10-12);

While Shiigi teaches implementing their invention using the JAVA programming environment (Paragraph 0037), they fail to show the wherein one of the set of controls can communicate with another set of controls wherein the another of the set of controls registers to receive an event raised by the one of the set of controls and wherein when the one of the controls raises the event, the another of the controls handles the event using a callback mechanism as recited in the claims. Knudsen teaches methods implemented using a JAVA programming language. In addition, Knudsen further teaches wherein one of the set of controls can communicate with another set of controls wherein the another of the set of controls registers to receive an event raised by the one of the set of controls and wherein when the one of the controls raises the event, the another of the controls handles the event using a callback mechanism (Pg 10 lines 14-17, pg 19 lines 25-29, pg 22 lines 5-11, pg 25 lines 33-36, and pg 31 lines 12-14). It would have been obvious to one of ordinary skill in the art, having the teachings of Shiigi before him at the time the invention was made, to include the callback mechanisms of the JAVA programming language, shown by Knudson, in order to obtain

inter-control communication. It would have been advantageous for one to utilize such a combination as a behavior that is defined by one object and then later invoked by another object when a particular event occurs would have been obtained, as suggested by Knudsen (*Pg 31*). One skilled in the art knows that GUI regularly implement controls that communicate with other controls. The methods of having listener and observer type controls are well known. They provide a GUI with the ability to have certain objects respond to the user interacting with various different objects on the GUI.

In regard to claim 18, Shiigi discloses a method for rendering a graphical user interface (GUI), comprising:

accepting a request (Paragraph 0039 lines 3-4);

mapping the request to a set of controls that represent the GUI, and wherein the controls are organized in a logical hierarchy (*Paragraph 0014 lines 12-14, Paragraph 0016 and Paragraph 0056: Controls are organized in a template hierarchy which provides entitlement for each of the controls based on the tags specified within the template)*;

traversing the representation, wherein the traversing comprises: associating a theme with a first control in the set of controls (*Paragraph 0082 lines 4-6: The Object model is invoked*)

rendering the first control according to the theme (Paragraph 0050: step 1);

rendering any descendents of the first control according to the theme (*Paragraph* 0051: Step 2);

and wherein any descendents of the first control can override the theme (Paragraph 0051 lines 10-12).

While Shiigi teaches implementing their invention using the JAVA programming environment (Paragraph 0037), they fail to show the wherein one of the set of controls can communicate with another set of controls wherein the another of the set of controls registers to receive an event raised by the one of the set of controls and wherein when the one of the controls raises the event, the another of the controls handles the event using a callback mechanism as recited in the claims. Knudsen teaches methods implemented using a JAVA programming language. In addition, Knudsen further teaches wherein one of the set of controls can communicate with another set of controls wherein the another of the set of controls registers to receive an event raised by the one of the set of controls and wherein when the one of the controls raises the event, the another of the controls handles the event using a callback mechanism (Pg 10 lines 14-17, pg 19 lines 25-29, pg 22 lines 5-11, pg 25 lines 33-36, and pg 31 lines 12-14). It would have been obvious to one of ordinary skill in the art, having the teachings of Shiigi before him at the time the invention was made, to include the callback mechanisms of the JAVA programming language, shown by Knudson, in order to obtain inter-control communication. It would have been advantageous for one to utilize such a combination as a behavior that is defined by one object and then later invoked by another object when a particular event occurs would have been obtained, as suggested

by Knudsen (*Pg 31*). One skilled in the art knows that GUI regularly implement controls that communicate with other controls. The methods of having listener and observer type controls are well known. They provide a GUI with the ability to have certain objects respond to the user interacting with various different objects on the GUI.

In regard to claim 34, Shiigi discloses a method for rendering a graphical user interface (GUI), comprising:

providing for the representation of the GUI as a plurality of controls wherein the controls are organized in a logical hierarchy (*Paragraph 0014 lines 12-14, Paragraph 0016 and Paragraph 0056: Controls are organized in a template hierarchy which provides entitlement for each of the controls based on the tags specified within the template)*;

traversing the representation, wherein the traversing comprises: associating a first theme with a first control in the plurality of controls (*Paragraph 0082 lines 4-6: The Object model is invoked*);

rendering the first control according to the first theme (*Paragraph 0050: step 1*); associating a second theme with a second control in the plurality of controls (*Fig 2 element 32: template extension provides for the second set of controls to be added*); rendering the second control according to the second theme (*Paragraph 0051: Step 2: the second control is determined from template extension*);

Application/Control Number: 10/788,530

Art Unit: 2173

and wherein the second control is a descendant of the first control (Fig 2 elements 30 and 32: element 30 is first control, element 32 is second control which depends from 30).

Page 7

While Shiigi teaches implementing their invention using the JAVA programming environment (Paragraph 0037), they fail to show the wherein one of the set of controls can communicate with another set of controls wherein the another of the set of controls registers to receive an event raised by the one of the set of controls and wherein when the one of the controls raises the event, the another of the controls handles the event using a callback mechanism as recited in the claims. Knudsen teaches methods implemented using a JAVA programming language. In addition, Knudsen further teaches wherein one of the set of controls can communicate with another set of controls wherein the another of the set of controls registers to receive an event raised by the one of the set of controls and wherein when the one of the controls raises the event, the another of the controls handles the event using a callback mechanism (Pg 10 lines 14-17, pg 19 lines 25-29, pg 22 lines 5-11, pg 25 lines 33-36, and pg 31 lines 12-14). It would have been obvious to one of ordinary skill in the art, having the teachings of Shiigi before him at the time the invention was made, to include the callback mechanisms of the JAVA programming language, shown by Knudson, in order to obtain inter-control communication. It would have been advantageous for one to utilize such a combination as a behavior that is defined by one object and then later invoked by another object when a particular event occurs would have been obtained, as suggested by Knudsen (Pg 31). One skilled in the art knows that GUI regularly implement controls

that communicate with other controls. The methods of having listener and observer type controls are well known. They provide a GUI with the ability to have certain objects respond to the user interacting with various different objects on the GUI.

In regard to claims 2, 22, 39, and 51, Shiigi discloses one of the set of controls can respond to an event raised by another of the set of controls (*Paragraph 0079*).

In regard to claims 3, 23, 40, and 52, Shiigi discloses a control can have an interchangeable persistence mechanism (Fig 5 element 38).

In regard to claims 4, 24, 41, and 53, Shiigi discloses a control can have an interchangeable rendering mechanism (Fig 5 element 38).

In regard to claims 5, 35, and 54, Shiigi discloses accepting a request (Paragraph 0039 lines 3-4).

In regard to claims 6, 19, 36, and 55, Shiigi discloses the request in a hypertext transfer protocol (HTTP) request (*Paragraph 0039: lines 2-4 and Paragraph 0100 line 7*).

In regard to claims 7, 20, 37, and 56, Shiigi discloses the request originates from a web browser (*Paragraph 0039 lines 2-4*).

In regard to claims 8, 21, 38, and 57, Shiigi discloses generating a response (Paragraph 0041 lines 1-3).

In regard to claims 9, 25, 42, and 58, Shiigi discloses an control can represent one of: button, text field, menu, table, window, window control, title bar, pop-up window, check-box button, radio button, window frame, desktop, shell, head, body, header, footer, book, page, layout, placeholder, portlet and toggle button (*Paragraph 0055-0075*).

In regard to claims 10, 26, and 59, Shiigi discloses associating the theme with first control can occur when the first control is rendered (*Paragraph 0050: Master template defines the first controls when rendered*).

In regard to claims 11, 27, 43, and 60, Shiigi discloses the first control inherits the theme from a parent control (*Paragraph 0047/ines 11-13*).

In regard to claims 12, 28, 44, and 61, Shiigi discloses the theme specifies the appearance and/or functioning of an control in the GUI (*Paragraph 0016*).

In regard to claims 13, 29, 45, and 62, Shiigi discloses rendering the first control according to the theme can be accomplished in parallel with rendering of other controls

Art Unit: 2173

(Fig 3 step 1 elements 36 A and 36 C: Two controls have been rendered simultaneously with the master template).

In regard to claims 14, 30, 46, and 63, Shiigi discloses the theme can be specified in whole or in part by a properties file (*Paragraph 0078 lines 1-4: template files have properties which define the theme of the page*).

In regard to claims 15, 31, 47, and 64, Shiigi discloses the properties file can include at least one of: 1) cascading style sheet; 2) Java Server Page; 3) Extensible Markup Language; 4) text; 5) Hypertext Markup Language; 6) Extensible Hypertext Markup Language; 7) JavaScript; and 8) Flash MX (*Paragraph 0078 line 4: using HTML*).

In regard to claims 16, 32, 48, and 65, Shiigi discloses the properties file can specify at least one image (*Paragraph 0057*).

In regard to claims 17, 33, 49, and 66, Shiigi discloses the GUI is part of a portal on the World Wide Web (*Paragraph 0100*).

## Response to Arguments

5. Applicant's arguments with respect to claims 1-67 have been considered but are moot in view of the new ground(s) of rejection.

Application/Control Number: 10/788,530 Page 11

Art Unit: 2173

## Conclusion

6. Any inquiry concerning this communication or earlier communications from the examiner should be directed to NICHOLAS S. ULRICH whose telephone number is (571)270-1397. The examiner can normally be reached on M-TH 9:00 - 5:00 EST.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Dennis Chow can be reached on (571)272-7767. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Tadesse Hailu/ Primary Examiner, Art Unit 2173

Nicholas Ulrich 4/23/2008 2173